



LED PROFILES CATALOG

2015



Exclusively By :
UTOPIA
L I V I N G

LUMISO
LED LINEAR LIGHTING EXPERT



PRODUCT INTRODUCTION

LUMISO Profile is the important part of the linear lighting, specially designed for the stylish and imaginable designers and architects, made of high end aluminum and shaped into different appearances and sizes, with our easy convenient accessories, LUMISO® profile can present the various geometry patterns, to create extraordinary lighting effects in the different applications. LUMISO Profile satisfies your requirements for illumination, decoration and creations, makes all your imagination come true.

LUMISO Profiles' installation:

Pendant / Recessed / Surface mounted

*light source and power supply are recommended to work with profile for better performance.

PROFILE STRUCTURE
型材结构










型材结构

- ① 铝型材 2.5米 可选颜色：银色、象牙白、黑色
- ② 专业光扩散板 2.5米 透光率大于85%
- ③ 堵头 8个
- ④ 固定螺钉 若干








PROFILE LIGHTING STRUCTURE

- ① Profile 2.5m Alternative color: silver, white, black
- ② Dispenser 2.5m light transmittance 85%
- ③ End caps 8pcs
- ④ Screws

PROFILE INSTALLATION 型材安装方式示意图





ALTERNATIVE ACCESSORIES
可选配件

LED strip 灯带 	Pendant wire 吊装组件 	Perforated mesh 冲孔网 	Perforated mesh 冲孔网 
Mounting clips 嵌入式卡子 	90° corner connector 90° 拐角连接器 	Extending connector 连接条 	Extending connector 连接条 


The installation of longer than 2.5 meters

PRODUCT CODE INTERPRETATION
型材产品命名规则






**SURFACE
MOUNTED**
固定式



PENDANT
悬挂式

LS 3535



STANDARD ACCESSORIES
标准配件



End cap x 4



Mounting clips x 8

ALTERNATIVE ACCESSORIES
可选配件



Code: D8252
Type: 2835
LED quantity: 252LED/M
Power: 24W/M
Voltage: 24V





Pendant wire
4000MM/2000MM
Code: CR1001/CR1002



Extending connector
2500MM/1000MM
Code: CN1001/CN1003


D8252 PHOTOMETRIC DIAGRAM
1.2米灯具光度图(D8252)



For your reference only



LS 4932



STANDARD ACCESSORIES 标准配件



End cap x 4

ALTERNATIVE ACCESSORIES 可选配件



Code: D8280
Type: 2835
LED quantity: 280LED/M
Power: 26W/M
Voltage: 24V





Pendant wire
4000MM/2000MM
Code: CR1001/CR1002



Extending connector
1000MM
Code: CN1002


D8280 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8280)




For your reference only



LS 4970



STANDARD ACCESSORIES 标准配件



End cap x 4

ALTERNATIVE ACCESSORIES 可选配件



Code: D8280
Type: 2835
LED quantity: 280LED/M
Power: 26W/M
Voltage: 24V





Pendant wire
4000MM/2000MM
Code: CR1001/CR1002



Extending connector
1000MM
Code: CN1002


D8280 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8280)



For your reference only



LS 5050




STANDARD ACCESSORIES 标准配件



End cap x 4

D8280 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8280)



For your reference only

ALTERNATIVE ACCESSORIES 可选配件




Code: D8280
Type: 2835
LED quantity: 280LED/M
Power: 26W/M
Voltage: 24V




Pendant wire
4000MM/2000MM
Code: CR1001/CR1002



Extending connector
2500MM/1000MM
Code:CN1001/CN1003




Extending connector
Code:CN5003



Corner connector
Code:CN5004



LS 3691





STANDARD ACCESSORIES 标准配件



End cap x 4

D8252 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8252)



For your reference only

ALTERNATIVE ACCESSORIES 可选配件



Code: D8252
Type: 2835
LED quantity: 252LED/M
Power: 24W/M
Voltage: 24V




Pendant wire
4000MM/2000MM
Code: CR1001/CR1002



Extending connector
2500MM/1000MM
Code: CN1001/CN1003




Extending connector
Code: CN9001




Corner connector
Code: CN9002



LS 3667



STANDARD ACCESSORIES 标准配件



End cap x 4

ALTERNATIVE ACCESSORIES 可选配件



Code: D8252
Type: 2835
LED quantity: 252LED/M
Power: 24W/M
Voltage: 24V




Pendant wire
4000MM/2000MM
Code: CR1001/CR1002



Extending connector
2500MM/1000MM
Code: CN1001/CN1003


D8252 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8252)



For your reference only



LS 7477




STANDARD ACCESSORIES 标准配件



End cap x 4

D8350 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8350)



For your reference only

ALTERNATIVE ACCESSORIES 可选配件



Code: D8350
Type: 350
LED quantity: 350LED/M
Power: 31W/M
Voltage: 24V



Pendant wire
4000MM/2000MM
Code: CR1001/CR1002



Extending connector
1000MM
Code: CN1002




Extending connector
Code: CN7001



Corner connector
Code: CN7002





PENDANT
悬挂式

LT 40



STANDARD ACCESSORIES 标准配件



End cap x 4

ALTERNATIVE ACCESSORIES 可选配件



Code: D8252
Type: 2835
LED quantity: 252LED/M
Power: 24W/M
Voltage: 24V




Pendant wire
4000MM/2000MM
Code: CR1001/CR1002




Extending connector
1000MM
Code: CN1002

D8252 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8252)



For your reference only



LT 60



STANDARD ACCESSORIES
标准配件



End cap x 4

ALTERNATIVE ACCESSORIES
可选配件



Code: D8252
Type: 2835
LED quantity: 252LED/M
Power: 24W/M
Voltage: 24V





Pendant wire
4000MM/2000MM
Code: CR1001/CR1002



Extending connector
2500MM/1000MM
Code: CN1001/CN1003


D8252 PHOTOMETRIC DIAGRAM
1.2米灯具光度图(D8252)



For your reference only



LT 120



STANDARD ACCESSORIES 标准配件



End cap x 4

ALTERNATIVE ACCESSORIES 可选配件



Code: D8350
Type: 2835
LED quantity: 350LED/M
Power: 31W/M
Voltage: 24V





Pendant wire
4000MM/2000MM
Code: CR1001/CR1002



Extending connector
2500MM/1000MM
Code: CN1001/CN1003


D8350 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8350)



For your reference only



LG 6423



STANDARD ACCESSORIES
标准配件



End cap x 4

ALTERNATIVE ACCESSORIES
可选配件



Code: D8252
Type: 2835
LED quantity: 252LED/M
Power: 24W/M
Voltage: 24V





Pendant wire
4000MM/2000MM
Code: CR1001/CR1002




Extending connector
2500MM/1000MM
Code: CN1001/CN1003

D8252 PHOTOMETRIC DIAGRAM
1.2米灯具光度图(D8252)




For your reference only






RECESSED
嵌入式



RECESSED
嵌入式

LS 3667



STANDARD ACCESSORIES 标准配件




End cap x 4


ALTERNATIVE ACCESSORIES 可选配件



Code: D8252
Type: 2835
LED quantity: 252LED/M
Power: 24W/M
Voltage: 24V





Perforated mesh
Code:NT6001



Perforated mesh
Code:CN6002


D8252 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8252)



For your reference only



LS 7477



STANDARD ACCESSORIES 标准配件




End cap x 4


ALTERNATIVE ACCESSORIES 可选配件



Code: D8350
Type: 2835
LED quantity: 350LED/M
Power: 31W/M
Voltage: 24V




Perforated mesh
Code:NT7001




Perforated mesh
Code:CN6002


D8350 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8350)



For your reference only



LE 4932



STANDARD ACCESSORIES 标准配件




ALTERNATIVE ACCESSORIES 可选配件



Code: D8252
Type: 2835
LED quantity: 252LED/M
Power: 24W/M
Voltage: 24V


D8252 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8252)



For your reference only



LE 6332



STANDARD ACCESSORIES 标准配件



End cap x 4





Mounting clip x 4

ALTERNATIVE ACCESSORIES 可选配件



Code: D8280
Type: 2835
LED quantity: 280LED/M
Power: 26W/M
Voltage: 24V

D8280 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8280)



For your reference only



LE 8832



STANDARD ACCESSORIES
标准配件




ALTERNATIVE ACCESSORIES
可选配件



Code: D8350
Type: 2835
LED quantity: 350LED/M
Power: 31W/M
Voltage: 24V


D8350 PHOTOMETRIC DIAGRAM
1.2米灯具光度图(D8350)



For your reference only



LE 22555



STANDARD ACCESSORIES 标准配件




ALTERNATIVE ACCESSORIES 可选配件



Code: D8350 x 2
Type: 2835
LED quantity: 350LED/M
Power: 31W/M
Voltage: 24V


D8350 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8350)



For your reference only



LS 1911C



STANDARD ACCESSORIES 标准配件



End cap x 4



Mounting clip x 8

ALTERNATIVE ACCESSORIES 可选配件



Code: D8196
Type: 2835
LED quantity: 196LED/M
Power: 18W/M
Voltage: 24V




Pendant wire
4000MM/2000MM
Code: CR1001/CR1002




Extending connector
2500MM/1000MM
Code: CN1001/CN1003


D8196 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8196)



For your reference only



LS 1911K



STANDARD ACCESSORIES 标准配件



End cap x 4



Mounting clip x 8

ALTERNATIVE ACCESSORIES 可选配件



Code: D8196
Type: 2835
LED quantity: 196LED/M
Power: 18W/M
Voltage: 24V




Pendant wire
4000MM/2000MM
Code: CR1001/CR1002




Extending connector
2500MM/1000MM
Code: CN1001/CN1003


D8196 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8196)



For your reference only



LS 1911P



STANDARD ACCESSORIES 标准配件



End cap x 4



Mounting clip x 8

ALTERNATIVE ACCESSORIES 可选配件



Code: D8196
Type: 2835
LED quantity: 196LED/M
Power: 18W/M
Voltage: 24V





Pendant wire
4000MM/2000MM
Code: CR1001/CR1002



Extending connector
2500MM/1000MM
Code: CN1001/CN1003


D8196 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8196)



For your reference only



LS 0709



STANDARD ACCESSORIES 标准配件



End cap x 4





Mounting clip x 8

ALTERNATIVE ACCESSORIES 可选配件



Code: D3120
Type: 3528
LED quantity: 120LED/M
Power: 9.6W/M
Voltage: 24V


D3120 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D3120)




For your reference only



LS 1613



STANDARD ACCESSORIES 标准配件




ALTERNATIVE ACCESSORIES 可选配件



Code: D898
Type: 2835
LED quantity: 98LED/M
Power: 10W/M
Voltage: 24V


D898 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D898)



For your reference only



LE 2613



STANDARD ACCESSORIES 标准配件




End cap x 4

ALTERNATIVE ACCESSORIES 可选配件



Code: D898
Type: 2835
LED quantity: 98LED/M
Power: 10W/M
Voltage: 24V

D898 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D898)



For your reference only



LG 1515C



STANDARD ACCESSORIES 标准配件




ALTERNATIVE ACCESSORIES 可选配件



Code: D898
Type: 2835
LED quantity: 98LED/M
Power: 10W/M
Voltage: 24V

D898 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D898)



For your reference only



LG 3030C



STANDARD ACCESSORIES 标准配件




ALTERNATIVE ACCESSORIES 可选配件



Code: D8196
Type: 2835
LED quantity: 196LED/M
Power: 18W/M
Voltage: 24V

D8196 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8196)



For your reference only



LG 2814



STANDARD ACCESSORIES 标准配件




ALTERNATIVE ACCESSORIES 可选配件



Code: D898
Type: 2835
LED quantity: 98LED/M
Power: 10W/M
Voltage: 24V


D898 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D898)



For your reference only



LS 2020



STANDARD ACCESSORIES 标准配件



End cap x 4





Mounting clip x 4

ALTERNATIVE ACCESSORIES 可选配件



Code: D8252
Type: 2835
LED quantity: 252LED/M
Power: 24W/M
Voltage: 24V


D8252 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8252)



For your reference only



PS 3452



STANDARD ACCESSORIES
标准配件




End cap x 4

ALTERNATIVE ACCESSORIES
可选配件



Code: D898
Type: 2835
LED quantity: 98LED/M
Power: 10W/M
Voltage: 24V


D898 PHOTOMETRIC DIAGRAM
1.2米灯具光度图(D898)



For your reference only



STEP 3819B



STANDARD ACCESSORIES 标准配件



End cap x 4





Screw x 8

ALTERNATIVE ACCESSORIES 可选配件



Code: D330
Type: 3528
LED quantity: 30LED/M
Power: 2.88W/M
Voltage: 24V


D330 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D330)



For your reference only



LA 2424



STANDARD ACCESSORIES 标准配件




ALTERNATIVE ACCESSORIES 可选配件




Code: D8252
Type: 2835
LED quantity: 252LED/M
Power: 24W/M
Voltage: 24V

D8252 PHOTOMETRIC DIAGRAM 1.2米灯具光度图(D8252)



For your reference only



2835 SERIES
2835 系列



	D898	D8168	D8196	D8252	D8280	D8350
	2700K/3000K/4000K 6000K	2700K/3000K/4000K 6000K	2700K/3000K/4000K 6000K	2700K/3000K/4000K 6000K	2700K/3000K/4000K 6000K	2700K/3000K/4000K 6000K
	1000LM	1400LM	1800LM	2400LM	2600LM	3100LM
	24V	24V	24V	24V	24V	24V
	10W/M	17W/M	18W/M	24W/M	26W/M	31W/M
	NANO	NANO	NANO	NANO	NANO	NANO
	98LED/M	168LED/M	196LED/M	252LED/M	280LED/M	350LED/M
	71MM(7LED)	42MM(7LED)	71MM(14LED)	83MM(21LED)	100MM(28LED)	100MM(35LED)
	5000 × 8 × 2MM	5000 × 10 × 2MM	5000 × 15 × 2MM	5000 × 19 × 2MM	2500 × 36 × 2MM	2500 × 58 × 2MM



POWER SUPPLY 驱动电源



LPV- 60

输入电压：90~264VAC
输出电压：24V
功率：60W
尺寸：162.5×42.5×32MM
防水等级：IP67

Input voltage：90~264VAC
Output voltage：24V
Power：60W
Size：162.5×42.5×32MM
Waterproof：IP67



LPV- 100

输入电压：90~264VAC
输出电压：24V
功率：100W
尺寸：190×52×37MM
防水等级：IP67

Input voltage：90~264VAC
Output voltage：24V
Power：100W
Size：190×52×37MM
Waterproof：IP67



LPV- 150

输入电压：180~305VAC
输出电压：24V
功率：150W
尺寸：191×63×37.5MM
防水等级：IP67

Input voltage：180~305VAC
Output voltage：24V
Power：150W
Size：191×63×37.5MM
Waterproof：IP67

LUMISO

Exclusively By :

UTOPIA
L I V I N G

UTOPIA LIVING SINGAPORE PTE LTD
200 Turf Club Road #07-09/10/11
Singapore 287994

enquiry@utopialiving.biz

www.utopialiving.biz